

2 Colors | 2 Sizes | 2 Finishes

ARCA
WOOD PORCELAIN

NEMO
TILE + STONE

ARCA

Discover Arca, our latest wood-look porcelain tile collection—a refined tribute to nature's timeless allure. This collection seamlessly blends the organic warmth of natural timber with the enduring strength of porcelain. Each piece is designed to elevate contemporary interiors, offering a sophisticated canvas that invites creativity and personal expression. Available in two neutral shades—Nordic and Tropical—these warm, wood-inspired tones bring a sense of calm and connection to any space. Available in both classic 8x48 planks and striking 18x48 three-dimensional wall tiles, the collection transforms interiors with a quiet yet unmistakable presence, perfectly suited for those who appreciate modern design softened by nature's touch.

- **Nature-Inspired Design:** Captures the essence of natural wood in a porcelain format, uniting organic beauty with modern durability.
- **Versatile Formats:** Choose from sleek 8x48 planks, dramatic 18x48 3D relief wall tiles, and coordinating trims for seamless, custom installations.
- **Sustainable Luxury:** Perfect for creating spaces that are both sophisticated and mindful of the environment





NORDIC



NORDIC



TROPICAL



TROPICAL



NORDIC



TROPICAL

COLORS

Arca is available in 2 colors in a natural finish and a 3-dimensional wall relief in a matte finish

V3 Variation



Nordic



Tropical




Sizes



8x48 Plank
8mm Thickness



18x48 Relief- Wall Only
13.3mm Thickness



3x12 Bullnose

Technical Information

8x48 Plank

Material	Porcelain	Application	Interior wet+dry floor and wall
Finish	Natural	Frost Resistance	Resistant
Shade Variation	V3	Water Absorption	0.5%
Stain Resistance	Class A	Chemical Resistance	Class A
DCOF	≥0.42	Edge	Rectified
Breaking Strength	275 lbf	Scratch Hardness	7 MOHS

18x48 Wall Relief

Material	Ceramic	Application	Interior wet+dry wall
Finish	Matte	Frost Resistance	N/A
Shade Variation	V3	Water Absorption	≥ 20%
Stain Resistance	Class A	Chemical Resistance	Class A
DCOF	≥0.42	Edge	Rectified
Breaking Strength	≥125 lbf	Scratch Hardness	5 MOHS

