

NEMO
TILE + STONE

MOONSTRUCK



MOONSTRUCK



MOONSTRUCK



MOONSTRUCK


COLORS - HONED




JUNO




KOSMOS



LUNA



GEMINI



APOLLO



V3 MODERATE VARIATION

MOONSTRUCK

COLORS - UNPOLISHED



JUNO



KOSMOS



LUNA



GEMINI



APOLLO




V3 MODERATE VARIATION

MOONSTRUCK



COORDINATING TRIMS



BULLNOSE
4"x 24"

SIZES AND PRODUCT DESCRIPTION

Field Tile

Nominal (in)	Actual (mm)	Thickness (mm)	Finish
12 x 242	97 x 597	10.5	UPS/HON
18 x 364	47 x 897	10.5	UPS/HON

Recommend a grout joint of 3mm
Actual measurements stated in inches indicate tile is calibrated (non-rectified).
Actual measurements stated in mm indicate tile is rectified.

Coordinating Trim

Nominal (in)	Actual (mm)	Thickness (mm)	Finish
4 x 24 Single Bullnose	96 x 597	10.5	UPS/HON

Product Performance

Breaking Strength	> 500 lbf	A STM C648
Bond Strength	> 200 psi	ASTM C482
Chemical Resistance	Unaffected	A STM C650
Frost Resistance	Resistant	A STM C1026
Water Absorption	< 0.20%	A STM C373
Scratch Hardness	7	Mohs Scale

Wet Dynamic Coefficient of Friction Range

UPS	0.50 - 0.60	AcuTest sm
HON	0.42 - 0.52A	cuTest sm



NEMO
TILE + STONE

MOONSTRUCK