

6 Colors | 10 Sizes | 2 Finish

ARDOISE
Slate Porcelain

NEMO
TILE + STONE

ARDOISE

Slate Porcelain

Inspired by the natural harmony of slate, Ardoise combines refined textures with architectural strength, offering a timeless balance of elegance and performance. Designed to adapt seamlessly across interiors and exteriors, the collection includes a robust 20mm format that ensures exceptional durability outdoors while maintaining the same sophisticated aesthetic indoors.

Available in a wide variety of sizes, Ardoise captures the sleek look of slate in a palette of neutral, versatile colors. Engineered for resistance and resilience, it performs beautifully in both residential and commercial settings, making it an ideal choice for hospitality environments where design and durability must coexist.

The collection is offered in six sophisticated colors, paired with two finishes, Natural R10 for interiors and Natural R11 for enhanced slip resistance in demanding settings. With multiple thicknesses, from classic indoor formats to heavy-duty 20mm outdoor pavers, and an extensive range of sizes spanning large architectural slabs to refined smaller modules, Ardoise provides complete design flexibility for any project.





Why You'll Love it

Authentic Slate Look

Ardoise captures the refined elegance of natural slate with a sleek, contemporary edge.

Versatile Color Palette

Available in six neutral, timeless tones that adapt seamlessly to any design vision.

Indoor & Outdoor Ready

Offered in multiple thicknesses, including 20mm pavers, for continuous design flow from interiors to exteriors.

Two Functional Finishes

Ardoise is available in Natural R10 for interiors and slip-resistant, and R11 for outdoor and high-traffic spaces.

Wide Range of Sizes

From large architectural slabs to smaller modules and trims, providing endless design flexibility.

Durability & Performance

Exceptional resistance to wear, weather, and heavy use, ideal for both residential and commercial projects.

Perfect for Hospitality

Combines luxury aesthetics with the resilience needed for hotels, restaurants, and public spaces.

Design Harmony

Complements other Nemo Tile collections, enabling layered, curated environments.



White



Light Grey



Black



Grey



Sand



Superwhite

COLORS



THICKNESS

6.5 mm
9 mm
9.5 mm
20 mm

SIZES

6.5 mm
47^{1/4}"x109^{7/16}" Natural R10
47^{1/4}"x47^{1/4}" Natural R10
23^{5/8}"x47^{1/4}" Natural R10

9 mm
39^{3/8}"x39^{3/8}" Natural R10

9.5 mm
47^{1/4}" x47^{1/4}" Natural R10
23^{5/8}" x47^{1/4}" Natural R10
23^{5/8}" x47^{1/4}" Technical R11
11^{13/16}" x47^{1/4}" Natural R10
35^{7/16}"x35^{7/16}" Natural R10
17^{11/16}"x35^{7/16}" Natural R10
23^{5/8}"x23^{5/8}" Natural R10
11^{13/16}"x23^{5/8}" Natural R10
31^{5/16}"x11^{13/16}" Natural R10


20 mm
23^{5/8}"x47^{1/4}" Natural R11
17^{11/16}"x35^{7/16}" Natural R11
23^{5/8}"x23^{5/8}" Natural R11

SURFACES

Natural R10
Technique R11

MOSAICS

Natural R10 11^{13/16}"x11^{13/16}"
9.5 mm



Superwhite



White



Sand



Light Grey




Grey




Black




Natural R10 11^{13/16}"x23^{5/8}"




Black
9.5 mm | 6.5 mm




Grey
9.5 mm | 6.5 mm




White
9.5 mm | 6.5 mm



Superwhite
9.5 mm



Sand
9.5 mm



Light Grey
9.5 mm

Technical Information

Porcelain Tiles
ISO 13006 Annex G- UNI EN 14411 Annex G-B la UGL
ANSI A137.1- CLASS P1

TECHNICAL CHARACTERISTICS		NORMA	VALUES
Technical Features - Características Técnicas - Technische Eigenschaften Technical Specifications - Technical Characteristics - Technical Specifications		Standard- Norm Norm - Norma - Norma	Value- Value Vorgabe - Valor - Medium
	WATER ABSORPTION	UNI EN ISO 10545/3	According to
	Water absorption	ASTMC 373	Compliant
	FLEXURAL RESISTANCE	THICKNESS	6,5mm m9 /9,5mm m 20MM
	Flexural Resistance Bending Strength	UNI EN ISO 10545/4	γ3 5N /mm2 γ4 5N /mm2
	BREAKING STRENGTH	UNI EN ISO 10545/4	γ 700 N γ2 000 N γ1 2000 N
	Breaking strength- Breaking resistance	ASTMC 648	γ 175 lbf γ 400 lbf γ2 500 lbf
	FROST RESISTANCE	UNI EN ISO 10545/12	According to
	Frost resistance	ASTMC 1026	Unaffected
	CHEMICAL RESISTANCE	UNI EN ISO 10545/13	A- LA -H A
	AT HIGH AND LOW CONCENTRATIONS OF ACIDS AND BASES	ASTMC -650	Unaffected
Chemical resistance to high and low acid and basic concentrations			
	STAIN RESISTANCE	UNI EN ISO 10545/14	5
	Stain resistance	ASTMC 1378	Class A
	COEFFICIENT OF FRICTION		NATURAL TECHNIQUE / 20MM
	Slip resistance		
		DIN 51130 DGUV Rule 108-003	R10 R11
		DIN 51097 DGUV Information 2 07-006 B (A+B)	C (A+B+C)
		ANSI A326.3:2017 DCOF	WET γ 0,50 WET γ 0,65
		B.C.R.A. D.M. N. 236 14/6/89	>0 ,40 >0 ,40
		AS 4586-2013 Annex A	P3 P4
		BS 7976-2:2 002 BSEN13036-4:2011 Pendulum testers	>3 6 Low Slip potential >3 6 Low Slip potential
		UNE 41901:2017 EX DB SUA(actual)2	3

 PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL COM/CG UL 2818


 mindful

 120x278


 放射性水平A类

 UPEC

 UPEC F+ 20MM

 25% 20MM
15% 9 / 9,5mm
0% 6,5mm
average values


 HEAVY COMMERCIAL HT


 SHADE VARIATION V3 High

Stocked in*
Grey 12x24, 24x48, 2x2 mosaic
Sand 12x24, 24x48, 2x2 mosaic
Light Grey 12x24, 24x48, 2x2 mosaic
Black: 12x24, 24x48, 2x2 mosaic

White 12x24, 24x48, 2x2 mosaic
Superwhite 12x24, 24x48, 2x2 mosaic

Sizes


47 1/4" x 109 7/16"
6.6 mm R10


47 1/4" x 47 1/4"
6.5mm, 9.5mm R10


23 5/8" x 47 1/4"
6.5mm R10,
9.5mm R10, R11
20mm R11


39 3/8" x 39 3/8"
9mm R10


35 7/16" x 35 7/16"
9.5mm R10


23 5/8" x 23 5/8"
9.5mm R10,
20mm R11


11 13/16" x 47 1/4"
9.5mm R10


17 11/16" x 35 7/16"
9.5mm R10,
20mm R11



11 13/16" x 23 5/8"
9.5mm R10





31 5/16" x 11 13/16"
9.5mm R10

Special Pieces

SPECIAL PIECES

Trims | Special Pieces | Forms | Special Pieces | Special Products


	Size Size				Price range Price band
	Naturale R10 Straight 7x60 - 23/4"x235/8" Pcs. Box 15 - LM x Box 9,00 ENH4		ENH5	ENH6	• A11
	Natural R10 Straight. 33x120 - 1215/16"x471/4" Pcs. Box 2 - LM x Box 2,40 ENGT		ENG5	ENGR	• A82
	Natural R10 Straight. 33x120x3,2x3,2 1215/16"x471/4"x11/4" x11/4" Pcs. Box 2 - LM x Box 2,40 ENGU		ENG5	ENGW	• A98
	Naturale R10 Straight 33x120x3,2x3,2 1215/16"x471/4"x11/4" x11/4" Pcs. Box 1 - LM x Box 1,20	Dx - Right ENH0 Sx - Left ENGZ	Dx - Right ENGY Sx - Left ENH2	Dx - Right ENH3 Sx - Left ENH1	• A104

	Size Size				Price range Price band
	Natural R10 Straight. 7x60 - 23/4"x235/8" Pcs. Box 15 - LM x Box 9,00 EJ5Z		E2TL	E2TM	• A11
	Naturale R10 Straight 7x90 - 23/4"x357/16" Pcs. Box 8 - LM x Box 7,20 EJ61		E2TE	E2TF	• A18
	Naturale R10 Straight 33x120 - 1215/16"x471/4" Pcs. Box 2 - LM x Box 2,40 EJ6E		E2TG	E909	• A82
	Naturale R10 Straight 33x120x3,2x3,2 1215/16"x471/4"x11/4" x11/4" Pcs. Box 1 - LM x Box 1,20	Dx - Right EJ6J Sx - Left EJ6K	Dx - Right E8Y8 Sx - Left E8Y9	Dx - Right E8YA Sx - Left E8YC	• A104
	Naturale R10 Straight 7x60x60 23/4"x235/8" x235/8" Pcs. Box 2 - LM x Box 1,20	Dx - Right EJ63 Sx - Left EJ69	Dx - Right E8YT Sx - Left E8YU	Dx - Right E2SG Sx - Left E2SH	• A33
	Naturale R10 Straight 7x60x60 23/4"x235/8" x235/8" Pcs. Box 2 - LM x Box 1,20	Dx - Right EJ6A Sx - Left EJ6C	Dx - Right E8YZ Sx - Left E8Z0	Dx - Right E8Z1 Sx - Left E8Z2	• A33
	Natural R10 16x30 - 65/16"x113/16" Pcs. Box 30	EJ6M	E2TN	E90F	• A22
	Natural R10 2,5x16 - 15/16"x65/16" Pcs. Box 10	EJ6P	E2SF	E8YN	• A16
	Natural R10 2,5x16 - 15/16"x65/16" Pcs. Box 10	EJ6Q	E2SE	E8YH	• A16

20MM

SPECIAL PIECES

Trims | Special Pieces | Forms | Special Pieces | Special Products

	Size Size			Price range Price and		
	Naturale R 11 Straight 33x60x5 1215/16"x235/8"x115/16" Pcs. Box 2- LM xB ox 1,20 E8ZJ		E8ZM	● A68		
	Naturale R11S traight 33x90x5 1215/16"x357/16"x115/16" Pcs. Box 2- LM xB ox 1,80 E9UL		E9UP	● A80		
	Naturale R11 Straight 33x60x5 1215/16"x235/8"x115/16" Pcs. Box 2- LM xB ox 1,20	Dx -R ight E8ZK	Sx -L eft E8ZL	Dx -R ight E8ZN	Sx - Left E8ZP	● A90
	Naturale R11S traight 33x90x5 1215/16"x357/16"x115/16" Pcs. Box 2- LM xB ox 1,80	Dx -R ight E9UM	Sx -L eft E9UN	Dx -R ight E9UQ	Sx -L eft E9UR	● A96
	Naturale R11S traight 33x60x2,5 1215/16"x235/8"x15/16" Pcs. Box 2- LM xB ox 1,20 E2T9			E8ZY		● A72
	Naturale R11S traight 33x90x2,5 1215/16"x357/16"x15/16" Pcs. Box 2- LM xB ox 1,80 E9VA			E9VE		● A84
	Naturale R11S traight 33x60x2,5 1215/16"x235/8"x15/16" Pcs. Box 2-L Mx Box 1,20	Dx -R ight E8ZW	Sx -L eft E8ZX	Dx -R ight E8ZZ	Sx -L eft E900	● A90
	Naturale R11S traight 33x90x2,5 1215/16"x357/16"x15/16" Pcs. Box 2-L Mx Box 1,80	Dx -R ight E9VC	Sx -L eft E9VD	Dx -R ight E9VF	Sx -L eft E9VG	● A96
	Naturale R11S traight 33x60- 1215/16"x235/8" Pcs. Box 2-L Mx Box 1,20 E903			E904		● A66
	Naturale R 11 Straight 33x90-1 215/16"x357/16" Pcs. Box 2-L Mx Box 1,80 E9VP			E9VQ		● A80
	Naturale R11S traight 16,5x60 -6 1/2"x235/8" Pcs. Box 2-L Mx Box 1,20 E2T6			E2T7		● A29
	Naturale R 11 Straight 16,5x90 - 61/2"x357/16" Pcs. Box 4-L Mx Box 3,60 E9TZ			E9U0		● A49