



2 Colors | 5 Sizes | 1 Finish

**BRECCIA**  
ISEO STONE PORCELAIN

**NEMO**  
TILE + STONE



# BRECCIA

Breccia draws inspiration from the dramatic geological formations of northern Italy's Iseo stone, capturing the energy of shifting earth and the artistry of ancient inlay. Each tile is a striking patchwork of singular stones—where warm grey neutrals and intricate fragments converge, creating a surface that feels both timeless and avant-garde.

With five versatile sizes, a stunning 24x48 wall relief, a 2x2 mosaic, and refined trim pieces, Breccia is designed for creative expression in interiors that demand presence. Evoking an atmosphere of organic brutalism, Breccia is a statement of enduring beauty, crafted for those who appreciate the intersection of nature's unpredictability and contemporary design.

- **Striking Stone-Inspired Design:** Each tile is a unique composition, echoing the dramatic, clastic beauty of Iseo stone.
- **Versatile Format Options:** Array of sizes and large format option allow for perfect, seamless custom installations.
- **Modern Palette:** Two warm grey neutrals create a sophisticated, organic foundation for interiors that embrace both serenity and boldness.
- **Tactile, Natural Finish:** The authentic stone-like surface delivers both visual depth and a luxurious, texture.








MANDORLA



MOCACCINO



MOCACCINO



MANDORLA



MOCACCINO



MANDORLA



# COLORS

Breccia is available in 2 colors, Mandorla and Mocaccino, in a natural finish

*V3 Variation*



Mandorla



Mocaccino


## Sizes




48x106




63x63




3x12 Bullnose




48x48



24x48



24x48 - Wall Tile



1.5x1.5 Mosaic  
on 12x12 sheet

## Technical Information

<b>Material</b>	Porcelain	<b>Application</b>	Interior wet+dry floor and wall
		<b>Application - Wall Tile</b>	Wall only
<b>Finish</b>	Natural	<b>Frost Resistance</b>	Resistant
<b>Tile Body</b>	Color Body	<b>Recommended Grout</b>	1/8" RECT joint
<b>Shade Variation</b>	V3	<b>Water Absorption</b>	≤ 0.5%
<b>Stain Resistance</b>	Class A	<b>Chemical Resistance</b>	Class A
<b>DCOF</b>	≥ 0.42	<b>Edge</b>	Rectified
<b>Breaking Strength</b>	275 lbf	<b>Scratch Hardness</b>	7 MOHS